

Home Page

Table of Content

Click title, Take you to the page
May not work in some program.

[How Arima Boats are Built](#)

[How Arima Boats Perform](#)

[Fish On Models](#)

[Storage Cuddy Models](#)

[Open Bow Models](#)

[Sleeper Cuddy Models](#)

[Hard Top Model](#)

[Sea Legend Models](#)

[Fish On Specifications](#)

[All Models Specifications](#)

Click [Back to Home](#) return to this page

Click here to visit

How the Arima Boats are Built



[Back to Home](#)



Arima boats consist of all fiberglass components (with wood glassed in for hardware installation). Shown - Hull with stringers, liner, deck, baitwell and anchor boxes (shown not glassed in), and hatches and lids.



Shown - Hull with foam filled fully sealed stringers.




Shown - Liner with spray on closed cell foam. All spaces are filled with foam, exclusive of the bilge.



The liner is then lowered into the hull, secured together, and then foam is injected between the hull and liner. (See holes in liner, where foam is injected, in green circle to the left.)



The hull and liner portion of the boat is now solid and rigid. You can feel the strength of our design. This is why the Arima boat is one of the quietest and safest boats available.



Fully assembled 16' Sea Chaser.



Celebrating the launch of our Sea Legend 22. Please notice that there are fourteen people on board and the boat is propelled with only 140 HP. You can see that this is a stable boat.



Coast Guard certified examiners loading thousands of pounds of lead into our 17' Sea Chaser.



Loaded with six tons of lead and still she floats!



Level Stability Test - 1600 pounds of lead on one side and boat only tilts 10 degrees.

[Safety and stability, exactly what you need to ensure safe fun for your family and friends](#)



Our own experiment - We took a 15' Sea Hunter, drilled holes through the bottom, and then loaded up with 650 pounds of lead. Even that could not sink an Arima!

How Arima Boats Perform

US Patent No. 4492176
US Patent No. 276147

US Patent No. 296206
Canada Patent No. 51771

[Back to Home](#)



From this angle you notice the wide chine and above that is a feature line that acts as a deflector.



The wide chine and the feature line provide splash protection and deflection.



Notice how the water and splash is deflected away from the boat by the chine and feature line.



Our economical patented hull design features an entry angle of approximately 40 degrees and transitions to approximately 13 degrees at the transom. The sharp degree of entry of the hull configuration generates a soft ride under difficult water conditions, yet not so sharp as to cause broaching. The wide chine, that runs from bow to stern, provides good lift and gives it the ability to plane at low speeds and with low horsepower.




Our extended transom (or sponsons) provides four engineering advantages.



- 1) They work as built in trim tabs to allow lift at very low RPM's. They also help you stay up on plane longer.
- 2) They allow for additional displacement to support heavy motors and provides a very stable platform - no worries about sudden tilts or weight shifts. You are able to launch in shallow water because the boat floats sooner than a conventional hull.
- 3) Our extended transom also helps to keep you trolling in a straight line. There is little to no side slippage in hard fast turns.
- 4) The engineered aspect of our extended transom gives great strength to the transom because of the angle of the sponson.

Our patented hull design allows the Arima boat to get up and stay on plane with lower horsepower than a conventional hull. Notice the very decent and acceptable speed that our 16' Sea Chaser accomplishes with only 35 HP. Our hull design allows a smooth ride with low RPM making your excursions very economical.



Sea Hunter 15 w/ 40HP



Sea Chaser 16 w/ 35HP



Sea Chaser 17 w/ 75HP



Sea Ranger 19 w/ 90HP



Sea Ranger 21 HT w/ 115HP



Sea Legend 22 w/ 140HP



Fish On SERIES

2011



Back to Home

Arima "Fish On" Series is our attempt to take the boats back to simpler times and lower prices. We have removed many of the "extras", that are standard in our regular models, and have reduced the prices accordingly. They have the proven hull design we have offered for thirty years - fiberglass dual hull construction, fiberglass stringer system, and waterproof foam filled compartment built into all of our models. The deck hardware is all stainless steel hardware for saltwater

These streamlined models have everything you need to have a great fishing day. Check out everything that comes standard. Come see your Arima dealer and ask for a test ride. You will be delighted at how these boats handle water - smooth, soft and yet quiet, as only fiberglass boats offer. Have fun and get out Fishing!

Please visit www.arimaboats.com for more exciting models.

70 Sea Sprinter 15



Sea Sprinter 15	Specifications
LENGTH	14' 7" 4.44 m.
BEAM	7' 2" 2.18 m.
HEIGHT	5' 2" 1.58 m.
WEIGHT	890 lbs 418 kg.
Max POWER	80 h.p. 80 h.p.
Safe Load CAP. (4)	1100 lbs. 499 kg.
Optional · FUEL	16 gal. 61 ltr.

Open Bow Models



STD : Canvas Top & Bow Cover

70 Sea Pacer 17



Sea Pacer 17	Specifications
LENGTH	16' 1" 5.16 m.
BEAM	8' 2.44 m.
HEIGHT	5' 7" 1.70 m.
WEIGHT	1240 lbs. 562 kg.
Max POWER	120 h.p. 120 h.p.
Safe Load CAP. (6)	1600 lbs. 726 kg.
FUEL	27 gal. 102 ltr.

70 Sea Pacer 21



Showing Optional Bow Rail, Companion Seat & Cushions

Sea Pacer 21

Sea Pacer 21	Specifications
LENGTH	21' 2" 6.45 m.
BEAM	8' 2.44 m.
HEIGHT	6' 3" 1.91 m.
WEIGHT	2100 lbs. 970 kg.
Max POWER	175 h.p. 175 h.p.
FUEL	48 gal. 182 ltr.



Port Side Storage



Stbd Storage or Head

70 Sea Hunter 15



Sea Hunter 15	Specifications
LENGTH	14' 7" 4.44 m.
BEAM	7' 2" 2.18 m.
HEIGHT	5' 2" 1.58 m.
WEIGHT	890 lbs 418 kg.
Max POWER	80 h.p. 80 h.p.
Safe Load CAP. (4)	1100 lbs. 499 kg.
Optional · FUEL	16 gal. 61 ltr.

Storage Cuddy Models



Forward Storage Cuddy w/ Door Open

70 Sea Chaser 16



Sea Chaser 16	Specifications
LENGTH	15' 11" 4.85 m.
BEAM	7' 6" 2.29 m.
HEIGHT	5' 4" 1.63 m.
WEIGHT	1040 lbs 472 kg.
Max POWER	100 h.p. 100 h.p.
Safe Load CAP. (4)	1100 lbs. 499 kg.
Optional · FUEL	27 gal. 102 ltr.

70 Sea Chaser 17



Sea Chaser 17	Specifications
LENGTH	16' 1" 5.16 m.
BEAM	8' 2.44 m.
HEIGHT	5' 7" 1.70 m.
WEIGHT	1240 lbs 562 kg.
Max POWER	120 h.p. 120 h.p.
Safe Load CAP. (6)	1600 lbs. 726 kg.
FUEL	27 gal. 102 ltr.

70 Sea Chaser 19



Sea Chaser 19	Specifications
LENGTH	18' 11" 5.77 m.
BEAM	8' 2.44 m.
HEIGHT	5' 10" 1.78 m.
WEIGHT	1600 lbs 726 kg.
Max POWER	150 h.p. 150 h.p.
Safe Load CAP. (6)	1975 lbs. 896 kg.
FUEL	48 gal. 182 ltr.



STD : 48 Gal. Gas Tank

Storage Cuddy Models

2011



Back to Home

Over three decades ago, Arima introduced the Sea Hunter 15'. As the widest and deepest in her class, this boat was quickly accepted and soon became every fisherman's dream. Arima's reputation has since grown for durability, design features and functional usage. We carried these concepts and principles to our 16, 17, 19, 21 and 22 footers, which have all surpassed the satisfaction and expectations of our customers.



LENGTH	14' 7"	4.44 m.
BEAM	7' 2"	2.18 m.
HEIGHT	5' 2"	1.58 m.
WEIGHT	910 lbs	418 kg.
Max POWER	80 h.p.	80 h.p.
Safe Load CAP. (4)	1100 lbs.	499 kg.
FUEL.....	16 gal.	61 ltr.

SEA HUNTER 15 has most of the features of the big boats and has been designed with optimum space usage. This boat offers a forward cuddy with a locking door and molded-in-the-floor storage for fish and ice. We created bait boxes on either side aft which have since become an industry standard. Additionally, space under the bait boxes and motor well for gas tanks plus batteries and oil.



18" wide Cuddy Opening

Common View in Storage Cuddy Model



Cockpit view Door Closed



Portable Head Under Cuddy Board



Standard Rod Reainer



Optional Jump Seats



LENGTH	15' 11"	4.85 m.
BEAM	7' 6"	2.29 m.
HEIGHT	5' 4"	1.63 m.
WEIGHT	1040 lbs	472 kg.
Max POWER	100 h.p.	100 h.p.
Safe Load CAP. (4)	1100 lbs.	499 kg.
FUEL	27 gal.	102 ltr.

Sea Chaser 16 As with the rest of our boat line, this model is designed with fuel efficiency in mind. Designed to perform well in any condition of water with the comfort of a large boat. The forward cuddy features a lockable door to store your fishing gear and valuables



27 Gal. Gas Tank & Battery Storage



Outboard Counter Top & Utility Rack



LENGTH	16' 11"	5.16 m.
BEAM	8'	2.44 m.
HEIGHT	5' 7"	1.70 m.
WEIGHT	1240 lbs.	562 kg.
Max POWER	120 h.p.	120 h.p.
Safe Load CAP. (6)	1600 lbs.	726 kg.
FUEL	27 gal.	102 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.

SEA CHASER 17 is the ultimate fishing machine. Large fishing area with a walk-around deck. Handles the big water yet tows nicely behind that four cylinder car or truck. It's 8-foot beam not only gives you lots of cockpit space, but makes an exceptionally stable boat, your Arima will go just about anywhere you can tow it from the highway, to the wilderness, behind a car or an R.V



Optional Skip Tower w/ Front, Side, Drop Curtain



LENGTH	18' 11"	5.77 m.
BEAM	8'	2.44 m.
HEIGHT	5' 10"	1.78 m.
WEIGHT	1600 lbs.	726 kg.
Max POWER	150 h.p.	150 h.p.
Safe Load CAP. (6)	1975 lbs.	896 kg.
FUEL	48 gal.	182 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.

SEA CHASER 19 has all the space for fighting that "Big One." Whether you need extra storage for all your gear or you just have lots of friends, this boat will accommodate the most. With optional saddle tanks, all 19's can carry up to 68 gallons of gas. This boat also carries a convenient portable head in the forward cuddy.



Optional Skip Tower & Color Stripe



20" wide Cuddy Opening

Open Bow Models

2011

Our commitment to excellence can be found in the quality and craftsmanship of our boats. **WE TAKE PRIDE IN OURSELVES** as "The Boat Company You Can Depend On." We simply want to provide the products that measure up to that expectation.

Safe, economical & easy to handle. The Arima Boats were designed for small engines to run and plane out at very low speeds which means less gas consumption. They can be towed by smaller, more economical cars and stored easily in most standard garages. The deep cockpit and wide hull give you a more comfortable, stable, safe feeling.

Our quality construction starts from the bottom. Fiberglass stringers filled with FOAM and sealed by Fiberglass. Dual fiberglass hull with FOAM fill to make solid, strong and yet quiet boat.




All our models exceed COAST GUARD requirement.

Sea Sprinter: approx' 30 cuft. Foam

Sea Pacer 17: approx' 52 cuft. Foam

Sea Pacer 21: approx' 60 cuft. Foam



SEA SPRINTER 15 open bow is short in length yet it is the widest and tallest in its class giving the Sea Sprinter superior stability and roominess. This being the lightest boat in our line, it can run with as little as a 25 hp. Even with a small vehicle it is easy to park, tow and launch. Also included with this boat is a closing bow door.

LENGTH	14' 7"	4.44 m.
BEAM	7' 2"	2.18 m.
HEIGHT	5' 2"	1.58 m.
WEIGHT	910 lbs.	418 kg.
Max POWER	80 h.p.	80 h.p.
Safe Load CAP. (4)	1100 lbs.	499 kg.
FUEL	16 gal.	61 ltr.



Standard Interior # 1



Std Canvas Top & Bow Cover



SEA PACER 17 has a walk-thru open bow with a closing door to keep out excessive wind and is equipped with a lock-up storage cabinet and enclosed head. Separate bait boxes at the stern with plenty of fish and gear storage in the floor. The elevated bow area has a deep storage box good for even more fish and gear. This is a wonderful open-air boat with lots of versatility.

LENGTH	16' 1"	5.16 m.
BEAM	8'	2.44 m.
HEIGHT	5' 7"	1.70 m.
WEIGHT	1240 lbs.	562 kg.
Max POWER	120 h.p.	120 h.p.
Safe Load CAP (6)	1600 lbs.	726 kg.
FUEL	27 gal.	102 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.



Roomy Open Bow w/ Floor Storage



Under Dash Storage



SEA PACER 21 is a creation from ARIMA's 30 years of boat building and design experience. It has a walk-thru self draining open bow with a closing door to keep out excessive wind and is equipped with a lock-up storage cabinet and enclosed head. Soft, smooth and dry! Huge floor storage and plenty of seating. This Sea Pacer 21 planes out smoothly with only 90 hp. and is filled with over 60 cu.ft. of foam making it one of the safest boats of its size and class.

LENGTH	21' 2"	6.45 m.
BEAM	8'	2.44 m.
HEIGHT	6' 3"	1.91 m.
WEIGHT	2100 lbs.	970 kg.
Max POWER	175 h.p.	175 h.p.
FUEL	48 gal.	182 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.



Self Drain Open Bow w/ Built in Seats



Outboard Counter Top & Utility Rack



Optional Skip Tower



Enclosed Head



Under Dash & Floor Storage

Sleeper Cuddy Models

2011



Back to Home

Safe, economical & easy to handle. The Arima Boats were designed for small engines to run and plane out at very low speeds which means less gas consumption. They can be towed by smaller, more economical cars and stored easily in most standard garages. The deep cockpit and wide hull give you a more comfortable, stable and safe feeling.

With an Arima, you can troll straight without holding the wheel. In addition, launching the boat is a breeze - there is no need to back your trailer down to the deepest part of the launch-ramp

Common Parts in Sleeper Cuddy Model



6'- 4" Sleeper Cuddy



Portable Head Under Cushion

Our quality construction starts from the bottom. Fiberglass stringers filled with FOAM and sealed by Fiberglass. Dual fiberglass hull with FOAM fill to make solid, strong and yet quiet boat.



LENGTH	15' 11"	4.85 m.
BEAM	7' 6"	2.29 m.
HEIGHT	5' 6"	1.68 m.
WEIGHT	1100 lbs.	499 kg.
Max POWER	100 h.p.	100 h.p.
Safe Load CAP. (4)	1100 lbs.	499 kg.
FUEL	27 gal.	102 ltr.
WATER	14 gal.	53 ltr.

SEA EXPLORER 16 is just right for those family excursions or the overnight fishing trip. Includes a 6-foot enclosed cuddy for camping or an afternoon nap, a 14-gal. fresh water tank, portable head and a 27-gal. gas tank are all standard including a high canvas top with side and drop curtain to protect you against the elements for boating any day, anywhere.



23" wide Cuddy Opening



Outboard Counter Top & Utility Rack



LENGTH	16' 11"	5.16 m.
BEAM	8'	2.44 m.
HEIGHT	5' 10"	1.708m.
WEIGHT	1430 lbs.	649 kg.
Max POWER	120 h.p.	120 h.p.
Safe Load CAP. (6)	1600 lbs.	726 kg.
FUEL	27 gal.	102 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.
WATER	14 gal.	53 ltr.

SEA RANGER 17 is great for overnighting or cruising. With a walk-around deck, foredeck glass hatch in the cuddy cabin, and optional two 10-gallon saddle tank assembly to carry more fuel for those long trips. As with all Arimas, it has a deep cockpit for your family's safety and increased stability.



Molded in Anchor Storage



Opt. Camper Back w/ Window & Support



LENGTH	18' 11"	5.77 m.
BEAM	8'	2.44 m.
HEIGHT	5' 10"	1.78 m.
WEIGHT	1650 lbs.	748 kg.
Max POWER	150 h.p.	150 h.p.
Safe Load CAP. (6)	1975 lbs.	896 kg.
FUEL	48 gal.	182 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.
WATER	14 gal.	53 ltr.

Sea Ranger 19 offers a roomy 6'-4" sleeper cuddy cabin with storage under the cushions, net storage inside and a portable head yet still has a large cockpit. This Arima was built to perform in all kinds of water conditions with proven versatility



Cockpit view Door Closed



Optional Removable Jump Seats



LENGTH	21' 2"	6.45 m.
BEAM	8'	2.44 m.
HEIGHT	6' 3"	1.91 m.
WEIGHT	2150 lbs.	975 kg.
Max POWER	175 h.p.	175 h.p.
FUEL	48 gal.	182 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.
WATER	14 gal.	53 ltr.

Sea Ranger 21. Soft, smooth and dry! This model planes out perfectly with only 90 h.p. (max. 32 mph). A creation from ARIMA'S 30 years of boat building and design experience. With the most spacious cuddy cabin in our line (6'-10" in length). A test ride is a must!



Optional Skip Tower

Hard Top Model

2011



Back to Home

Our hardtop models are constructed of a two part clamshell style top, with opening lids. This top is mounted on a welded anodized windshield with side sliders. The lift out hardtop lids allow you to fully enjoy those sunny days, while allowing you to be dry and protected on those not so nice days. This design is something only Arima offers.

Quality construction goes into every component of an ARIMA boat. From dual hull construction and fiberglass stringers (NOT WOOD). In addition, all our models have been foam injected, thoroughly documented and exceed COAST GUARD requirements



LENGTH	18' 11"	5.77 m.
BEAM	8'	2.44 m.
HEIGHT	6' 5"	1.96 m.
WEIGHT	1725 lbs.	782 kg.
Max POWER	150 h.p.	150 h.p.
Safe Load CAP. (6)	1975 lbs.	896 kg.
FUEL	48 gal.	182 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.
WATER	14 gal.	53 ltr.

Sea Ranger 19 Hard Top comes with a roomy interior under the hard top with a 6'-4" cuddy cabin, two well-sealed removable covers on the top for better visibility and hearing on those foggy days. A canvas drop curtain is standard with a center roll-up. The optional Alaskan Bulkhead makes it great for fun in any weather or water conditions while supplying comfort and security.



Opt: Camper Back w/ Window



Opt: Alaskan Glass Bulkhead



LENGTH	21' 2"	6.45 m.
BEAM	8'	2.44 m.
HEIGHT	6' 8"	2.08 m.
WEIGHT	2250 lbs.	1020 kg.
Max POWER	175 h.p.	175 h.p.
FUEL	48 gal.	182 ltr.
Opt. Saddle TANK	20 gal.	76 ltr.
WATER	14 gal.	53 ltr.

Sea Ranger 21 Hard Top. Nothing better on those cold and rainy days of fishing. Complete with removable covers on the top, spacious cockpit and ample aft storage. Headroom of 6'-4" (when floor hatch is removed) and spacious cuddy cabin of 6'-10" in length. This model is perfect for any adventure that might arise



Std: Drop Curtain
Opt: Color Stripe Hull



6'-4" Sleeper Cuddy



Portable Head Under Cushion



LENGTH	21' 2"	6.45 m.
BEAM	8'	2.44 m.
HEIGHT	6' 8"	2.08 m.
WEIGHT	2500 lbs.	1020 kg.
Max POWER	175 h.p.	175 h.p.
FUEL	48 gal.	182 ltr.
WATER	14 gal.	53 ltr.

Sea Ranger 21 Explorer is the "Cruising" version of our popular Sea Ranger 21 Hard Top model. Added 1.5 feet in enclosed cockpit area with some new amenities, like enclosed Head, Galley with a sink and stove. You have a choice from 3 different interiors. This come with Enclosed Glass Bulkhead, however you can choose without it. Our 21 footer planes out smoothly with only 90 h.p. and is filled with over 60 cu.ft. of foam injected between Hull and Liner, this makes our 21 footer the quietest and safest boats of its size and class.



#E 10 Interior. Portside bench seat is removable for forward facing seating.



#E 10 Interior Typical Galley layout..



STANDARD
E 6 Helms Seat w/ Full Galley, Dinette



OPTIONAL
E 9 Helms Seat w/ Walk in Head, Dinette



OPTIONAL
E 10 Walkin Hd, Galley, Bench Seat

Self Draining Hull *Sea Legend Series* **2011**



Back to Home

The Sea Legend 22 series offers the widest beam in our class (8'-9"). This model gives you the most stable platform on the ocean. The Sea Legend 22 planes easily with only 140 h.p.(max. 36 mph). Also featured on this durable and functional boat is a self-draining cockpit and many other high quality standard features.

The Sea Legend 22 Hard Top offers headroom of 6'-9"(when floor hatch is removed). Fuel capacity of 106 gallons gives you a long range for cruising or fishing.



Sea Legend 22

LENGTH	21' 11".....	6.70 m.
BEAM	8' 9".....	2.66 m.
HEIGHT	6' 8".....	2.00 m.
WEIGHT	2400 lbs.	1100 kg.
Max POWER	300 h.p.	300 h.p.
FUEL	106 gal.....	400 ltr.
WATER	14 gal.....	53 ltr.



Spacious Dash Board



10 Molded Sink Galley w/ Dinette

Optional Skip tower



Planning w/ 140 HP.



Optional Bulkhead & Rocket Rancher

Sea Legend 22 Hard Top

LENGTH	21' 11".....	6.70 m.
BEAM	8' 9".....	2.66 m.
HEIGHT	7' 7".....	2.30 m.
WEIGHT	2850 lbs.	1300 kg.
Max POWER	300 h.p.	300 h.p.
FUEL	106 gal.....	400 ltr.
WATER	14 gal.....	53 ltr.



Optional Burgundy Hull Stripe



10 Molded Sink Galley w/ Dinette



Optional Bulkhead



E#10 Interior



Standard Outboard Counter Top



STANDARD # E 6 Helms Seat w/ Full Galley, Dinette



OPTIONAL # E 9 Helms Seat w/ Walk in Head, Dinette

Sea Legend 22 Explorer

LENGTH	21' 11".....	6.70 m.
BEAM	8' 9".....	2.66 m.
HEIGHT	7' 7".....	2.30 m.
WEIGHT	3100 lbs.	1406 kg.
Max POWER	300 h.p.	300 h.p.
FUEL	106 gal.....	400 ltr.
WATER	14 gal.....	53 ltr.



106Gal. Gas Tank under floor



E #10 Interior



OPTIONAL # E 10 Walkin Hd, Galley, Bench Seat

Arima Fish On Specifications

Fish On SERIES

2011

[Back to Home](#)

Arima Fish On Series Chart	H15	S15	C16	C17	P17	C19	P21
Foam Filled Dual Hull Construction	S	S	S	S	S	S	S
Foam Filled Fiberglass Stringer System	S	S	S	S	S	S	S
Safety Glass Windshield w/ Center Opening	S	S	S	S	S	S	S
Opening Front Canvas Top Assy. w/ Cover Boot	S	S	S	S	S	S	S
Side Curtain	0	0	0	0	0	0	0
Drop Curtain	0	0	0	0	0	0	0
Translucent Plastic Gas Tank. Standard Gal.	0	0	0	27	27	48	48
Welded Stainless Steel Bow Rails			0	0	0	0	0
Stainless Steel Side Rails	S	S	S	S	S	S	S
Pedestal Seat w/ Pedestal Seat	S	S	S	S	S	S	S
Rotation Mold Seat (No Cushion)	S	S	S	S	S	S	S
Running and Anchor Light System	S	S	S	S	S	S	S
Electric Wiper Stbd	0	0	0	0	0	0	0
Electric Wiper Port	0	0	0	0	0	0	0
Electric Horn	S	S	S	S	S	S	S
Electric Bilge Pump & Battery Tray	S	S	S	S	S	S	S
Marine Steering Wheel - 13 Inch Diameter	S	S	S	S	S	S	S
Rack and Pinion Steering System	S	S	S	S	S	S	S
Molded in Anchor Storage				S		S	S
Molded Fish Box	S	S	S	S	S	S	S
5 Gal. Bait Boxes w/ Fiberglass Lids	S	S	S	S	S	S	S
Switch Panel with Circuit Breakers	S	S	S	S	S	S	S
Bow Eyes , Stern Eyes & Deck Cleats	S	S	S	S	S	S	S
Bow Chock Pulley	0	0	0	S	S	S	S
Forward Cuddy w/ Lock Hasp	S		S	S		S	
Cup Holders & Rod Retainers	S	S	S	S	S	S	S
Bow Cover		S			S		S



P 21 : Sea Pacer 21



C 19 : Sea Chaser 19



P 17 : Sea Pacer 17



C 17 : Sea Chaser 17



C 16 : Sea Chaser 16



S 15 : Sea Sprinter 15



H 15 : Sea Hunter 15

Specifications are subject to change



Our quality construction starts from the bottom.
Fiberglass stringers filled with FOAM and sealed
by Fiberglass.



All Fiberglass floor with FOAM filled side & bottom
to make our boats solid, strong ,yet quiet and
safest boat around.

All our models exceed **COAST GUARD** requirement.


Sea Hunter & Sea Sprinter: approx' 30 cuft. Foam

Sea Chaser 16: approx' 38 cuft. Foam

Sea Chaser 17 & Sea Pacer 17: approx' 52 cuft. Foam

Sea Chaser 19: approx' 55 cuft. Foam

Sea Pacer 21: approx' 60 cuft. Foam



Arima Boats Specifications

H15 : Sea Hunter 15
S15 : Sea Sprinter 15
C16 : Sea Chaser 16
E16 : Sea Explorer 16

C17 : Sea Chaser 17
R17 : Sea Ranger 17
P17 : Sea Pacer 17

C19 : Sea Chaser 19
R19 : Sea Ranger 19
H19 : SR Hard Top 19

R21 : Sea Ranger 21
H21 : SR Hard Top 21
E21 : SR 21 Explorer
P21 : Sea Pacer 21


L22 : Sea Legend 22
H22 : SL Hard Top 22
E22 : SL 22 Explorer

Back to Home

Arima Boat Standard Chart	H15	S15	C16	E16	C17	P17	R17	C19	R19	H19	R21	H21	E21	P21	L22	H22	E22
Self Drain Fiberglass Inner Hull														s (bow)	s	s	s
Foam Filled Dual Hull Construction	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Foam Filled Fiberglass Stringer System	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Safety Glass Windshield w/ Center Opening	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Opening Front Canvas Top Assy. w/ Cover Boot	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Side Curtain	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Drop Curtain	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Fiberglass Hard Top w/ Removable Sun Tops												s	s	s	s	s	s
Welded Safety Glass Windshield w/ Side Slide											s	s	s	s	s	s	s
Alaskan Glass Bulkhead											o	o	s			o	s
Translucent Plastic Gas Tank. Standard Gal.	16	16	27	27	27	27	27	48	48	48	48	48	48	48	106	106	106
2- 10 Gal Saddle Gas Tank Assembly					o	o	o	o	o	o	o	o	o	o			
Welded Stainless Steel Bow Rails			s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Stainless Steel Side Rails	s	s															
Stainless Steel Grab Rail	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Foredeck Safety Hatch			o	s	o		s	o	s	s	s	s	s	s	s	s	s
Running and Anchor Light System	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Electric Wiper Stbd	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Electric Wiper Port	o	o	o	o	o	o	o	o	o	o	o	o	s	s	o	s	s
Electric Horn	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Battery Tray	s	s	s	s	s	s	s	s2	s2	s2	s2	s2	s2	s2	s2	s2	s2
Electric Bilge Pump	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Automatic Bilge Pump Assembly	o	o	o	o	o	o	o	o	o	o	s	s	s	o	s	s	s
Marine Steering Wheel - 13 Inch Diameter	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Marine Steering Wheel - 15.5 Inch Diameter												s	s	s	s	s	s
Baystar Hydraulic Steering System (under 150 hp)	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Seastar Hydraulic Steering System (Over 150 hp)												o	o	o	o	s	s
14 Gal. Water Tank w/ Electric Pump				s			s		s	s	s	s	s	s	s	s	s
Molded in Anchor Storage					s		s	s	s	s	s	s	s	s	s	s	s
Molded Fish Box	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s2	s2	s2
10 Gal. Bait Boxes w/ Fiberglass Lids	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Switch Panel with Circuit Breakers	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Bow Eyes, Stern Eyes & Deck Cleats	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Bow Chock Pulley	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Forward Cuddy w/ Lock Hasp	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Soft Bunk & Soft Headliner in Cuddy				s			s	s	s	s	s	s	s	s	s	s	s
Cuddy Center Board	s	s			s												
Portable Head	o		o	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Port Windows				s			s		s	s	s	s	s	s	s	s	s
Interior Light	s		s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Cuddy Net Storage				s			s		s	s	s	s	s	s	s	s	s
Cup Holders & Rod Retainers	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Rod Holders	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Utility Rack	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Water Renewal System	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
3 Way Battery Switch	o	o	o	o	o	o	o	o	s	s	s	s	s	s	s	s	s
12 v. Receptacle	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Folding Footrest				o			o		o	o	s	s	s	s	s	s	s
Gas Gauge														s	s	s	s
Removable Fish Container	o	o	o	o	o	o	o	o	o	o	s	s	s	s	s2	s2	s2
Outboard Counter Top			s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Personal Mesh Pocket	o	o	o	o	o	o	o	o	o	o	s	s	s	s	s	s	s
Bow Cover		s					s							s			

Arima Boat Optional Chart	H15	S15	C16	E16	C17	P17	R17	C19	R19	H19	R21	H21	E21	P21	L22	H22	E22
Color Stripe Hull	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Wash Down Ass'y					o	o	o	o	o	o	o	o	o	o	o	o	o
Camper Back w/ Window & Support			o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sloping Back Canvas	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Hydraulic Trim Tab	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Skip Tower					o		o		o					o			
Boat Cover	o	o	o	o	o*	o	o*	o*	o*	o*				o*	o*		
Comp. Strg. Seat Additional Swivel Seat								o				*	o	o	o	o	o
Comp. Strg. Seat Removable Table	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Folding Footrest	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
4- Step Removable Ladder	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Stainless Steel Deck Grab Rails	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Aft Jump Seats	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Keel Guard	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Fixed O/B Bracket for 25" Shaft	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o

Arima Boat Optional Chart	H15	S15	C16	E16	C17	P17	R17	C19	R19	H19	R21	H21	E21	P21	L22	H22	E22
# 1 Pedestal Seat w/ Pedestal Seat	s	s	s	o	s	s	o	o	o	o	o	o	o	o	o	o	o
# 2 Pedestal Seat w/ Comp. Strg. Seat	o	o	o	s	o	o	s	s	s	s	s	s	s	s	s	s	s
# 3 Comp. Strg. Seat w/ Comp. Strg. Seat	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
# 4 Pedestal Seat w/ Sleeper Seat	o	o	o	o	o	o	o	o	o	*	o	*			o	o	o
# 5 Comp. Strg. Seat w/ Sleeper Seat	o	o	o	o	o	o	o	o	o	*	o	*			o	o	o
# 6 Sleeper Seat w/ Sleeper Seat	o	o	o	o	o	o	o	o	o	*	o	*			o	o	o
# 7 Pedestal seat w/ Dinette												o	*		o	o	o
# 8 Comp. Strg. Seat w/ Dinette												o	*		o	o	o
# 9 Sleeper Seat w/ Dinette												o	*		o	o	o
# 10 Molded Sink Galley w/ Dinette															o	o	o



* Not w/ Alaskan Bulkhead o* w/o skip tower

Specifications are subject to change.